





making the world a greener place

Wood cleaning with arvox Pro

or fox Pro Wood is a unique product for fast, eco-friendly and efficient cleaning of wooden surfaces like terrace boards, garden furniture, wood facades and fences



**PROBLEM** 

# Dirt and weather damage and age wood

Wood is a natural product. Outside it weathers with time. Exposed to weather (sun, rain and snow) it turns grey and dirty, its texture gets rougher.

High-pressure cleaners are often used for cleaning. This causes the wood to fray, become even rougher and is then more susceptible to new soiling and green coverings.

Most cleaning agents remove only surface dirt and dust while ingrained dirt and organic adhesions remain in the pores and wood grain.

**SOLUTION** 

# Patented Superoxidation

Arva Greentech has developed the special cleaner Arvox for efficient and sustainable cleaning of wooden surfaces, wooden floor coverings and garden furniture.

Arvox consists of two liquid components (Arvox A and Arvox B). Their reaction produces oxygen radicals that quickly and efficiently break down organic pollutants. This so-called superoxidation dissolves the contaminants and breaks them down through an environmentally neutral chemical reaction.

Unlike conventional cleaners Arvox does not just wash the dirt away but decomposes it down to the molecular level. The surfaces are hygienically clean right down to the pores.





Wooden garden furniture turns grey due to exposure to the weather. Dirt collects in the pores, as in this example of a teak garden bench. After Arvox cleaning, the surfaces are clean and smooth.

### **ENVIRONMENTAL COMPATIBILITY**

### Fast & efficient

Arvox special cleaner for wood...

- ...cleans dirty wooden surfaces pore-deep and thoroughly:
- ...cleans immediately, efficiently and quickly;
- ...decomposes the dirt instead of just detaching it like other cleaners:
- ...can be easily rinsed off with water;
- ...prevents further soiling.

### **Prices**

16,90 €

10 litre canister (each A or B) 149,00 €

Net prices plus VAT.

### 1 litre bottle (each A or B)

### **APPLICATION**

### Easy to use

The two liquid components of Arvox are applied and brushed in one after the other or simultaneously with pressure sprayers. The reaction starts immediately, foam is formed and the dirt is decomposed. After a reaction time of 5 to 15 minutes, simply rinse with water and allow to dry.

### Sustainable ingredients

Arvox consists of more than 90% water, the reaction's end products are biodegradable. Arvox is free of chlorine, silicones, alcohol, perfume, aldehydes and other toxic ingredients.





Application example: Dirty balcony boards before (left) and after treatment (right).

### **EFFECTIVENESS**

## Gentle power

Arvox uses the powerful effect of natural superoxidation for gentle cleansing. Regular use leads to well-kept and smooth wood surfaces, prevents new soiling and extends the life of the wood.

Arvox is also particularly suitable for basic cleaning before applying wood oils or glazes.











Arva Greentech AG Gotthardtstr. 3 CH-6300 Zug Switzerland Arva Greentech GmbH Helmholtzstr. 2-9 10587 Berlin Germany

www.arva-green.tech info@arva-green.tech